



Office of the Director of Boiler, Gujarat State

3rd Floor, D Block, Bahumali Bhawan, Manjushri Mill Compound, Asarva,
Girdharnagar, Ahmedabad- 380004.

e-mail :- cisbnsn-lab-ahd@gujarat.gov.in & Web site :- <http://www.boiler.gujarat.gov.in>

No. DOB/TECH/2018/CA062018-20190000072

Date: 26/10/2018

To.
Hi-CON Technocast Pvt. Ltd.,
G-1321. Behind kadvani Forge. Kishan gate. GIDC. Matoda.
Kalavad Road. Dist. Rajkot-360021

Sub : Approval of your **foundry & In-house laboratory for chemical and physical testing for manufacturing of castings** under inspection of IBR - 1950 Code.

- Ref. 1. Your application no.A0032018-20190000188 dtd. 10-08-2018
2. This office Inward no.2018BWCIB1452438756 dtd. 10-08-2018
3. Visit dtd. 25-09-2018 of Shri R. L. Patel, Deputy Director of Boilers, Rajkot
for verification of Workshop Facilities, Staff, Tools & Tackles & their letter no.A0032018-20190000188 dtd.08-10-2018
4. Government of Gujarat Notification No. GR - 2007 - 73 - IBA - 1099 - 1895 (I) - M - (3) dtd. 31/08/2007

Sir,

With reference to above subject & referred letter you are permitted for Two year for i.e from **26-10-2018** to **25-10-2020** for **manufacturing of castings & In-house laboratory for chemical and physical testing** under inspection of IBR-1950. Other condition remain same as per Annexure.

Online receipt No.1109811 of Rs.5000.00 dtd.25/08/2018 for registration fees is received. Also you shall apply for renewal of your firm recognition at least two months before the expiry of said period.

Yours Faithfully,

Signature
valid

Digitally signed by
SHAH
ATUL KUMAR
ARUNDA
Date: 2018.10.26
17:05:59 +0530

Shri R. L. Patel,
Director of Boilers,
Gandhinagar

Gujarat State, Ahmedabad.

Copy to: D.O.B / TECH / 2018 / CA062018-20190000072 22/10/2018 Dated

Shri R. L. Patel, Deputy Director of Boilers, Rajkot Region for information and necessary action.